

LIGHT TRUCKS, UTILITY VEHICLES & VANS LISTINGS



Year	Application	Setting	Front	Rear
BUICK				
Utility 2WD & 4WD (Standard Suspension)				
Rainier				
04-04	Air Suspension Rear	HD	BE5-A333-H0	BE5-A334-H0
	Non-Air Rear	HD	BE5-A333-H0	BE5-A335-H0
CADILLAC				
Utility 4WD (Standard Suspension)				
Escalade				
99-99		C	BE5-2424	BE5-2425
		HD	BE5-A405-H0	B46-2179
CHEVROLET				
Mini-Van (M Series-Standard Suspension)				
Astro				
85-02	2WD	HD	B46-1104	B46-1047
90-02	AWD	HD	B46-2136	B46-1047
Mini-Van (U Series-Standard Suspension)				
Lumina APV				
90-96		HD	S36-0203	B46-1019 ¹⁹
Pickup 2WD (Lifted Suspension)				
C1500				
88-98		5100	BE5-621-H5 ⁴⁴ ⁴⁶ ⁶⁰	BE5-1698 ⁶⁹ BE5-6137-H5 ⁴⁴ ⁴⁶ ⁶² ⁴⁵ ⁶⁷
Pickup 2WD (Lowered Suspension)				
C1500				
88-98		HD	AK2083 ⁸⁰	B46-2171 ⁸¹
Pickup 2WD (Standard Suspension)				
C1500, Silverado 1500				
99-04	Exc. HD Model; Exc. Quad Steer	C	BE5-2906	BE5-2907
		HD	BE5-2902	BE5-2903
	HD Model; Exc. Quad Steer	HD	BE5-6081-H0	BE5-6082-H0
88-98		C	B46-2033	B46-1453
		HD	B46-1697	B46-1698
C10				
73-87		HD	B46-1185	B46-0933
C2500, Silverado 2500				
99-04	Including HD Model; Exc. Quad Steer; Torsion Bar Front	HD	BE5-6081-H0	BE5-6082-H0
88-98	Including HD Model	C	B46-2033	B46-1453
		HD	B46-1697	B46-1698
C20				
73-87	Crew Cab	HD	B46-1185	B46-1587
	Exc. Crew Cab	HD	B46-1185	B46-0933
C10, C20				
67-72		HD	B46-1185	N/A

Year	Application	Setting	Front	Rear
CHEVROLET (cont.)				
C3500, Silverado 3500				
00-04	Including dual wheel	HD	BE5-6081-H0	BE5-6501-H1
88-99	Including dual wheel	C	B46-2033	B46-1453
		HD	B46-1697	B46-1698
C30				
73-87		HD	B46-1185	B46-1587
63-72	Exc. 157" wheel base	HD	B46-1185	N/A
R10				
87-91		HD	B46-1185	B46-0933
R20				
87-91	Exc. Crew Cab	HD	B46-1185	B46-0933
R20, R30				
87-91	Crew Cab	HD	B46-1185	B46-1587
S10 Pickup				
82-00		HD	B46-1307	B46-1681
Pickup 4WD (Lifted Suspension)				
K1500				
88-98		5100	BE5-6139-H5 ⁶⁴	BE5-6137-H5 ⁴⁵ ⁷² ⁸¹
Pickup 4WD (Standard Suspension)				
K1500, Silverado 1500				
00-04	HD Model; Exc. Quad Steer	HD	BE5-6081-H0	BE5-6082-H0
99-03	Exc. HD Model; Exc. Quad Steer	HD	BE5-2904	BE5-2905
88-98		C	BE5-2503	B46-2087
		HD	BE5-A405-H0	B46-2043
K2500, Silverado 2500				
00-04	Including HD Model; Exc. Quad Steer	HD	BE5-6081-H0	BE5-6082-H0
88-99	Including HD Model	HD	BE5-A405-H0	BE5-2568
K10, K20				
73-87		HD	B46-0923	B46-0933
69-72		HD	B46-0923	N/A
K3500, Silverado 3500				
00-04	Including dual wheel	HD	BE5-6081-H0	BE5-6501-H1
88-99	Including dual wheel	HD	BE5-A405-H0	BE5-2568
K30				
77-87		HD	AK2042	AK2043
V10, V20				
87-91		HD	B46-0923	B46-0933
		Auxiliary	B46-1026	
V30				
87-91	Crew Cab	HD	AK2042	AK2043
S10 Pickup				
94-01	With ZR2 Suspension; From 94 1/2	HD	B46-1818	B46-1819
82-01	Exc. ZR2 Suspension	HD	B46-1410	B46-1681

¹⁹ Replacement unit is a conventional shock. Leveling system will not function when this shock is installed. ⁸⁰ 2 - 4" Lowered front, spindle and/or spring.
⁴¹ 4 - 6" Lowered rear, flip kit with lower mount extension. ⁸² Except I-beam front suspension. ⁴⁴ Applies to upper A-arm type lift only.
⁴⁵ Compression bump stop on chassis may need to be modified to prevent damage to the shock absorber. ⁴⁶ Shocks are banded compressed to aid installation.
⁶⁰ Front 3" Lift. ⁶² Front 6" Lift. ⁶⁴ Front 4-6" Lift. ⁶⁷ Rear 3" Lift. ⁶⁹ Rear 0-1" Lift. ⁷² Rear 2-4" Lift. ⁸¹ Must order 1/2" sleeve part 423480.

Year	Application	Setting	Front	Rear
CHEVROLET (cont.)				
Step Van (P Series-Standard Suspension)				
P10, P20, P30				
84-00		Steering Damper	BE3-2645 [Ⓜ]	
73-00		C	B46-2137 [Ⓜ]	B46-1587
		HD	B46-1173 [Ⓜ]	B46-1587
P10				
63-72		HD	B46-1173	N/A
Utility 2WD (Lifted Suspension)				
Suburban 1500				
92-99		5100	BE5-6210-H5 [Ⓜ] [Ⓜ] [Ⓜ]	BE5-6137-H5 [Ⓜ] [Ⓜ]
Tahoe				
95-99	4 Door	5100	BE5-6210-H5 [Ⓜ] [Ⓜ] [Ⓜ]	BE5-6254-H5 [Ⓜ] [Ⓜ]
94-99	2 Door	5100	BE5-6210-H5 [Ⓜ] [Ⓜ] [Ⓜ]	BE5-6137-H5 [Ⓜ] [Ⓜ]
Blazer (Full Size)				
92-94	2 Door	5100	BE5-6210-H5 [Ⓜ] [Ⓜ] [Ⓜ]	BE5-6137-H5 [Ⓜ] [Ⓜ]
Utility 2WD (Standard Suspension)				
Suburban 1500				
00-04		HD	BE5-6500-H0	BE5-6501-H0 [Ⓜ]
92-99		C	BE5-2416	BE5-2417
		HD	B46-2247	B46-2248
73-91		HD	B46-1185	B46-0933
Suburban 2500				
00-04	Torsion Bar Front	HD	BE5-6081-H0	BE5-6501-H1
92-99		HD	BE5-2422	BE5-2423
73-91		HD	B46-1185	B46-0933
Tahoe				
00-04	4 Door	HD	BE5-6500-H0	BE5-6501-H0 [Ⓜ]
97-99	2 Door	HD	BE5-2422	BE5-2415
95-99	4 Door	C	BE5-2410	BE5-2411
		HD	BE5-2670	BE5-2672
Blazer (Full size)				
73-87		HD	B46-1185	B46-0933
69-72		HD	B46-1185	N/A
Avalanche 1500				
02-04		HD	BE5-6500-H0	In Dev. [Ⓜ]
Avalanche 2500				
02-04		HD	BE5-6081-H0	BE5-6501-H1
TrailBlazer				
02-04	Air Suspension Rear	HD	BE5-A333-H0	BE5-A334-H0
	Non-Air Rear	HD	BE5-A333-H0	BE5-A335-H0
S10 Blazer				
82-02		HD	B46-1307	B46-1413-M0

Year	Application	Setting	Front	Rear
CHEVROLET (cont.)				
El Camino				
73-87		HD	B36-0949	B46-0929 [Ⓜ]
Utility 4WD (Lifted Suspension)				
Suburban 1500				
92-99		5100	BE5-6139-H5 [Ⓜ] [Ⓜ]	BE5-6137-H5 [Ⓜ] [Ⓜ]
Tahoe				
94-99	2 Door	5100	BE5-6139-H5 [Ⓜ] [Ⓜ]	BE5-6137-H5 [Ⓜ] [Ⓜ]
	4 Door	5100	BE5-6139-H5 [Ⓜ] [Ⓜ]	BE5-6254-H5 [Ⓜ] [Ⓜ]
Blazer (Full Size)				
92-94	2 Door	5100	BE5-6139-H5 [Ⓜ] [Ⓜ]	BE5-6137-H5 [Ⓜ] [Ⓜ]
Utility 4WD (Standard Suspension)				
Suburban 1500				
00-04		HD	BE5-6500-H0	BE5-6501-H0 [Ⓜ]
92-99		HD	BE5-A405-H0 [Ⓜ]	BE5-2421
		SP	B46-2041 [Ⓜ]	B46-2042
73-91		HD	B46-0923	B46-0933
		Auxiliary	B46-1026	
Suburban 2500				
00-04		HD	BE5-6081-H0	BE5-6501-H1
92-99		HD	BE5-A405-H0	BE5-2419
		SP	BE5-2403	BE5-2405
73-91		HD	B46-0923	B46-0933
		Auxiliary	B46-1026	
Tahoe				
00-04	4 Door	HD	BE5-6500-H0	BE5-6501-H0 [Ⓜ]
95-99	2 Door	HD	BE5-2501	BE5-2502
	4 Door	C	BE5-2412 [Ⓜ]	BE5-2413
		HD	BE5-A405-H0 [Ⓜ]	B46-2179
Blazer (Full size)				
92-94	2 Door	HD	BE5-2501	BE5-2502
80-91	2 Door	Auxiliary	B46-1026	
73-91	2 Door	HD	B46-0923	B46-0933
69-72	2 Door	HD	B46-0923	N/A
Avalanche 1500				
02-04		HD	BE5-6500-H0	In Dev. [Ⓜ]
Avalanche 2500				
02-04		HD	BE5-6081-H0	BE5-6501-H1
TrailBlazer				
02-04	Air Suspension Rear	HD	BE5-A333-H0	BE5-A334-H0
	Non-Air Rear	HD	BE5-A333-H0	BE5-A335-H0
S10 Blazer				
95-02	With ZR2 Suspension	HD	B46-1852	B46-2194
82-02	Exc. ZR2 Suspension	HD	B46-1412	B46-1413-M0
		SP	B46-1412-H0	B46-1413-H0

[Ⓜ]Replacement unit is a conventional shock. Leveling system will not function when this shock is installed.

[Ⓜ]Lower Mount may need additional clearance in order to install 46mm shocks.

[Ⓜ]Except I-beam front suspension.

[Ⓜ]Applies to upper A-arm type lift only.

[Ⓜ]Compression bump stop on chassis may need to be modified to prevent damage to the shock absorber. [Ⓜ]Shocks are banded compressed to aid installation.

[Ⓜ]In order to maintain standard ride height and load characteristics w/self leveling, Bilstein spring part 199020 should be utilized. This will not replace electronic dampers.

[Ⓜ]In order to maintain standard ride height and load characteristics w/self leveling, Bilstein spring part 199021 should be utilized. This will not replace electronic dampers.

[Ⓜ]Front 3" Lift.

[Ⓜ]Front 6" Lift.

[Ⓜ]Front 4-6" Lift.

[Ⓜ]Rear 0-1" Lift.

[Ⓜ]Rear 2-4" Lift.

LIGHT TRUCKS, UTILITY VEHICLES & VANS LISTINGS



Year Application Setting Front Rear

CHEVROLET (cont.)

Van (G Series-Standard Suspension)

Express 1500, Express 2500

96-04	GVW to 7300 lbs	HD	BE5-2565	BE5-2481
-------	-----------------	----	----------	----------

Express 2500

96-04	GVW over 7300 lbs	HD	BE5-2565	BE5-2570
-------	-------------------	----	----------	----------

Express 3500

96-04		HD	BE5-2565	BE5-2570
-------	--	----	----------	----------

G10, G20

78-95		HD	B46-1025	B46-1026
-------	--	----	----------	----------

71-77		HD	B46-1025	N/A
-------	--	----	----------	-----

G30

78-95	Exc. dual rear wheels	HD	B46-1025	B46-1026
-------	-----------------------	----	----------	----------

75-95	Dual rear wheels	HD	B46-1025	B46-1141
-------	------------------	----	----------	----------

71-77	Exc. dual rear wheels	HD	B46-1025	N/A
-------	-----------------------	----	----------	-----

DODGE

Pickup 2WD (Standard Suspension)

Dakota

01-03	Quad Cab	HD	BE5-6460-H0	BE5-A701-H0
-------	----------	----	-------------	-------------

97-03	Exc. Quad Cab	HD	BE5-6460-H0	BE5-6538-H0
-------	---------------	----	-------------	-------------

86-96	Exc. Quad Cab	HD	B36-2174	B46-2175
-------	---------------	----	----------	----------

Ram 1500

02-04		HD	BE5-6927-H0	BE5-2550-H1
-------	--	----	-------------	-------------

94-01		HD	B46-1907	B46-1908
-------	--	----	----------	----------

D100, D150

72-93	Gas Engine; Up to 9000 lbs GVW	HD	B46-0925	N/A
-------	--------------------------------	----	----------	-----

Ram 2500, Ram 3500

94-02	Exc. Solid axle front	HD	B46-1907	B46-1908
-------	-----------------------	----	----------	----------

	Solid axle front	HD	BE5-2549	B46-1908
--	------------------	----	----------	----------

D200, D250

72-93	Diesel Engine; 9000 lbs and over GVW	HD	BE5-2514	BE5-2504
-------	--------------------------------------	----	----------	----------

	Gas Engine; 9000 lbs and over GVW	HD	BE5-2514	N/A
--	-----------------------------------	----	----------	-----

	Gas Engine; Up to 9000 lbs GVW	HD	B46-0925	N/A
--	--------------------------------	----	----------	-----

D300, D350

72-93	9000 lbs and over GVW	HD	BE5-2514	BE5-2504
-------	-----------------------	----	----------	----------

D50

79-91		HD	B36-0949	B46-0257
-------	--	----	----------	----------

Pickup 4WD (Lifted Suspension)

Ram 1500

94-01	5100	BE5-6646-H5 ⁶¹	BE5-6647-H5 ⁶⁸
		BE5-6681-H5 ⁶⁰	BE5-6682-H5 ⁶⁹

Ram 2500

02-04	5100	BE5-6681-H5 ⁶²	BE5-6647-H5 ¹⁰⁶
-------	------	---------------------------	----------------------------

94-02	5100	BE5-6646-H5 ⁶¹	N/A
		BE5-6681-H5 ¹⁰¹	BE5-6682-H5 ⁶⁹

Year Application Setting Front Rear

DODGE (cont.)

Pickup 4WD (Standard Suspension)

Dakota

01-03	Quad Cab	HD	BE5-2617	BE5-A702-H0
-------	----------	----	----------	-------------

97-03	Exc. Quad Cab	HD	BE5-2617	BE5-2618
-------	---------------	----	----------	----------

86-96	Exc. Quad Cab	HD	B36-2176	B46-2177
-------	---------------	----	----------	----------

Ram 1500

02-03		HD	BE5-6928-H0	BE5-2550-H1
-------	--	----	-------------	-------------

94-01		HD	B46-2129	B46-2130
-------	--	----	----------	----------

Ram 2500, Ram 3500

94-02	GVW 6400 lbs to 7500 lbs	HD	B46-2129	B46-2130
-------	--------------------------	----	----------	----------

	GVW over 8400 lbs	HD	BE5-2549	BE5-2550
--	-------------------	----	----------	----------

Ram 50

82-91		HD	B36-0949	B46-0258
-------	--	----	----------	----------

Utility 2WD (Standard Suspension)

Durango

98-02		HD	BE5-6460-H0	BE5-6538-H0
-------	--	----	-------------	-------------

AD100 (Ramcharger)

72-94		HD	B46-1828	B46-1829
-------	--	----	----------	----------

Utility 4WD (Standard Suspension)

Durango

98-02		HD	BE5-2617	BE5-2790
-------	--	----	----------	----------

Raider

86-87	4 cyl	HD	B46-0422	N/A
-------	-------	----	----------	-----

Van (Standard Suspension)

B100, B150, B200, B250

70-03		HD	B46-0925	B46-1137
-------	--	----	----------	----------

B300, B350

70-03		HD	B46-0925 ⁶⁴	B46-1137
			B46-1401 ⁶³	B46-1137

FORD

Mini-Van (Standard Suspension)

Aerostar

89-98	Exc. AWD	HD	AK1088	AK1089
-------	----------	----	--------	--------

85-88	Exc. AWD	HD	AK1088	AK1081
-------	----------	----	--------	--------

Pickup 2WD (Lifted Suspension)

F150

97-03	5100	BE5-6092-H5 ⁴⁴ ⁶⁰	BE5-2479 ⁶⁹
		BE5-6092-H5 ⁴⁴ ⁶²	BE5-6093-H5 ⁴⁵ ⁶⁷

85-96	5100	BE5-6243-H5 ⁴⁵ ⁶¹	BE5-6244-H5 ⁴⁵ ⁷²
		BE5-6528-H5 ⁶²	BE5-6244-H5 ⁷²

F250

99-03	5100	In Dev. ⁴⁵ ⁶¹ ¹⁰²	In Dev. ⁴⁵ ⁶⁹
		In Dev. ⁴⁵ ⁶² ¹⁰²	In Dev. ⁴⁵ ⁷³

80-98	5100	BE5-6243-H5 ⁴⁵ ⁶¹	In Dev. ⁴⁵ ⁶⁶
		In Dev. ⁴⁵ ⁶²	In Dev. ⁴⁵ ⁷³

⁶³Front axle 4000 lbs. and over.

⁶⁴Front axle less than 4000 lbs.

⁴⁴Applies to upper A-arm type lift only.

⁴⁵Compression bump stop on chassis may need to be modified to prevent damage to the shock absorber.

⁶⁰Front 3" Lift.

⁶¹Front 4" Lift.

⁶²Front 6" Lift.

⁶⁶Rear 2" Lift.

⁶⁷Rear 3" Lift.

⁶⁸Rear 4" Lift.

⁶⁹Rear 0-1" Lift.

⁷²Rear 2-4" Lift.

⁷³Rear 3-4" Lift.

⁸¹Front 5-6" Lift.

⁸²Front 0-2" Lift.

¹⁰¹Front 2" Lift.

¹⁰²Will not work with aftermarket radius arm.

¹⁰⁶Rear 0" Lift.

Year	Application	Setting	Front	Rear
FORD (cont.)				
Ranger				
83-97		5100	BE5-6215-H5 ⁴⁵ ⁶⁵	BE5-2792 ⁶⁸
			BE5-6215-H5 ⁴⁵ ⁶⁵	BE5-6216-H5 ⁴⁵ ⁷¹
			BE5-6526-H5 ⁴⁵ ⁶²	BE5-6527-H5 ⁴⁵ ⁶⁷
Pickup 2WD (Lowered Suspension)				
F150 Except Lightning				
85-96		HD	B46-2172 ⁶⁷	B46-2173 ⁶⁸
F150 Lightning				
93-95		HD	B46-2172 ⁶⁷	AK2290 ⁶⁸
Pickup 2WD (Standard Suspension)				
F150 Except Lightning				
04		HD	BE5-A761-H0	BE5-A762-H0
97-03	Exc. HD Model	HD	BE5-2478	BE5-2479
		SP	BE5-2478-H1	BE5-2479-H1
97-02	HD Model	HD	BE5-2478	AK2283
85-96		HD	B46-1328	B46-1329
80-84		HD	B46-1328	B46-1327
F150 Lightning				
99-04		HD	BE5-2478-H1	BE5-2479-H1
93-95		HD	AK1289	AK1290
F150 Super Crew				
01-03		HD	BE5-2571	BE5-2479
F250				
97-02	Light duty Model; Exc. air-leveling	HD	BE5-2478	AK2283
80-98	HD Model; Exc. dual rear wheels	HD	B46-1328	B46-1329
F250 Superduty				
99-04		HD	BE5-2815	BE5-2816
F350				
85-98	Dual rear wheels	HD	B46-1328	B46-1327
80-98	HD Model; Exc. dual rear wheels	HD	B46-1328	B46-1329
F350 Superduty				
99-04	141, 162, and 176 " Wheelbase	HD	BE5-2815	B46-1329
	142, 156, 158 and 172 " Wheelbase	HD	BE5-2815	BE5-2816
F450 Superduty				
93-99	GVW 15,000	HD	AK1192	AK1193
88-93	GVW 14,000	HD	AK1191	AK1193
Ranger Trailhead, Ranger Edge				
99-04		HD	BE5-2794	BE5-2795
Ranger				
98-04	Exc. Trailhead and Edge	HD	BE5-2791	BE5-2792
90-97		HD	B46-2236	B46-2283
83-89		HD	B46-1017	B46-1018

Year	Application	Setting	Front	Rear
FORD (cont.)				
Pickup 4WD (Lifted Suspension)				
F150				
80-96		5100	BE5-6243-H5 ⁴⁵ ⁶¹	BE5-6244-H5 ⁴⁵ ⁶⁶
			BE5-6528-H5 ⁶²	BE5-6527-H5 ⁶⁸
	Auxiliary		BE5-6238-H5 ⁴⁵ ⁶¹	
F250 Superduty, F350 Superduty				
99-03		5100	BE5-6245-H5 ⁶⁴	BE5-6246-H5 ⁷⁰
Ranger				
83-97		5100	BE5-6215-H5 ⁴⁵ ⁶⁵	BE5-6216-H5 ⁶⁹
			BE5-6526-H5 ⁴⁵ ⁶²	BE5-6527-H5 ⁴⁵ ⁷⁴
Pickup 4WD (Standard Suspension)				
F150				
97-03	Including Off-Road package; Exc. HD Model	HD	BE5-2489	BE5-2490
97-02	HD Model	HD	BE5-2489	AK2284
80-96		HD	B46-1328	B46-1618
	Auxiliary		B46-1616	
F150 Super Crew				
01-03		HD	BE5-2574	BE5-2490
F250				
97-03	Light duty Model; Exc. air-leveling	HD	BE5-2489	AK2284
87-98	HD Model	HD	B46-1617	B46-1618
82-86	HD Model; From 3/82	HD	B46-1615	B46-1618
F250 Superduty				
99-04		HD	BE5-2818	BE5-2819
F350				
86-98		HD	B46-1617	B46-1618
82-85		HD	B46-1615	B46-1618
F350 Superduty				
99-04		HD	BE5-2818	BE5-2819
Ranger				
99-03		HD	BE5-2794	BE5-2795
90-97		HD	B46-2236	B46-2335
83-89		HD	B46-1017	B46-2335
Utility 2WD & 4WD (Standard Suspension)				
Bronco II				
90		HD	B46-2236	B46-2283
89	From 2/89; To 6/89	HD	B46-1017	B46-2283
83-89	To 1/89	HD	B46-1017	B46-1018
Utility 2WD (Lifted Suspension)				
Excursion				
00-01		5100	In Dev. ⁴⁵ ⁶¹ ¹⁰²	N/A
Expedition				
97-02		5100	BE5-6092-H5 ⁶⁰	BE5-2573 ⁶⁹
			BE5-6092-H5 ⁶²	In Dev. ⁶⁷

³⁷ 3" Lowered front, utilized drop I-beam. ⁶⁸ 4" Lowered rear, lowered shackles.

⁴⁵ Compression bump stop on chassis may need to be modified to prevent damage to the shock absorber. ⁶⁰ Front 3" Lift. ⁶¹ Front 4" Lift. ⁶² Front 6" Lift.

⁶⁴ Front 4-6" Lift. ⁶⁵ Front 4-5" Lift. ⁶⁶ Rear 2" Lift. ⁶⁷ Rear 3" Lift. ⁶⁸ Rear 4" Lift. ⁶⁹ Rear 0-1" Lift. ⁷⁰ Rear 0-2" Lift. ⁷¹ Rear 1-3" Lift.

⁷⁴ Rear 2-3" Lift. ¹⁰² Will not work with aftermarket radius arm.

LIGHT TRUCKS, UTILITY VEHICLES & VANS LISTINGS



Year	Application	Setting	Front	Rear
FORD (cont.)				
Explorer				
90-94		5100	In Dev. ⁴⁵ ⁶¹	N/A
Utility 2WD (Standard Suspension)				
Excursion				
00-01		HD	BE5-6206	BE5-6207
Expedition				
97-02	Air-leveling	HD	BE5-2571	BE5-2572
	Exc. air-leveling	HD	BE5-2571	BE5-2573
Explorer Sport Trac				
01-04		HD	B46-2131	In Dev.
Explorer				
02-04	Exc. air-leveling	HD	In Dev.	In Dev.
95-01	Exc. air-leveling	HD	B46-2131	B46-2132
		Axle Wrap	N/A	B36-2135
90-94	Exc. air-leveling	HD	B46-1568	B46-1569
Ranchero				
72-79		HD	B46-1104	B46-1498
Utility 4WD (Lifted Suspension)				
Excursion				
00-01		5100	In Dev. ⁶⁴	In Dev.
Bronco (Full size)				
80-96		5100	BE5-6243-H5 ⁴⁵ ⁶¹	BE5-6244-H5 ⁴⁵ ⁷²
			BE5-6528-H5 ⁴⁵ ⁶²	BE5-6244-H5 ⁴⁵ ⁷²
	Auxiliary		BE5-6238-H5 ⁴⁵ ⁶¹	
Explorer				
90-94		5100	In Dev. ⁶¹	N/A
Utility 4WD (Standard Suspension)				
Excursion				
00-01		HD	BE5-6208	BE5-6209
Expedition				
97-02	Air-leveling	HD	N/A	BE5-2573
	Exc. air-leveling	HD	BE5-2574	BE5-2575
Bronco (Full size)				
84-96		Auxiliary	B46-1616	
80-96		HD	B46-1328	B46-1327
Explorer Sport Trac				
01-04		HD	B46-2133	In Dev.
Explorer				
02-04	Exc. air-leveling	HD	In Dev.	In Dev.
95-01	Exc. air-leveling	HD	B46-2133	B46-2134
		Axle Wrap	N/A	B36-2135
90-94	Exc. air-leveling	HD	B46-1568	B46-1569
Van (Standard Suspension)				
E100, E150				
92-02		HD	B46-1719	B46-1720
75-91		HD	B46-1325	B46-1326

Year	Setting	Front	Rear
BILSTEIN SHOCK ABSORBERS			
FORD (cont.)			
E200, E250, E300, E350			
92-02	HD	B46-1613	B46-1614
75-91	HD	B46-1105	B46-1106
GEO			
Utility 2WD & 4WD (Standard Suspension)			
Tracker			
89-98	Exc. 4 Wheel ABS	HD	V36-0399
			B36-1588
GMC			
Mini-Van (M Series-Standard Suspension)			
Safari			
85-02	2WD	HD	B46-1104
			B46-1047
90-02	4WD	HD	B46-2136
			B46-1047
Pickup 2WD (Lifted Suspension)			
C1500			
88-98	5100	BE5-6210-H5 ⁴⁴ ⁴⁶ ⁶⁰	BE5-1698 ⁶⁹
		BE5-6210-H5 ⁴⁴ ⁴⁶ ⁶²	BE5-6137-H5 ⁴⁵ ⁶⁷
Pickup 2WD (Lowered Suspension)			
C1500			
88-98	HD	AK2083 ⁶⁰	B46-2171 ⁶¹
Pickup 2WD (Standard Suspension)			
C1500, Sierra 1500			
99-04	Exc. HD Model; Exc. Quad Steer	C	BE5-2906
		HD	B46-1697
99-03	Exc. HD Model; Exc. Quad Steer	HD	BE5-2902
			BE5-2903
	HD Model; Exc. Quad Steer	HD	BE5-6081-H0
			BE5-6082-H0
88-98		C	B46-2033
			B46-1453
C1500			
73-87		HD	B46-1185
			B46-0933
C2500, Sierra 2500			
99-04	Including HD Model; Exc. Quad Steer; Torsion Bar Front	HD	BE5-6081-H0
			BE5-6082-H0
88-98	Including HD Model	C	B46-2033
		HD	B46-1697
			B46-1698
C2500			
73-87	Crew Cab	HD	B46-1185
	Exc. Crew Cab	HD	B46-1185
			B46-1587
			B46-0933
C1500, C2500			
67-72	Coil spring rear	HD	B46-1185
	Leaf spring rear	HD	B46-1185
			N/A
			N/A
C3500, Sierra 3500			
00-04		HD	BE5-6081-H0
			BE5-6501-H0
88-99		C	B46-2033
		HD	B46-1697
			B46-1698

⁶⁰ 2 - 4" Lowered front, spindle and/or spring. ⁶¹ 4 - 6" Lowered rear, flip kit with lower mount extension. ⁴⁴ Applies to upper A-arm type lift only.
⁴⁵ Compression bump stop on chassis may need to be modified to prevent damage to the shock absorber. ⁴⁶ Shocks are banded compressed to aid installation.
⁶⁰ Front 3" Lift. ⁶¹ Front 4" Lift. ⁶² Front 6" Lift. ⁶⁴ Front 4-6" Lift. ⁶⁷ Rear 3" Lift. ⁶⁹ Rear 0-1" Lift. ⁷² Rear 2-4" Lift.

Year	Application	Setting	Front	Rear
GMC (cont.)				
C3500				
73-87		HD	B46-1185	B46-1587
63-72	Exc. 157" wheel base	HD	B46-1185	N/A
R1500				
87-91		HD	B46-1185	B46-0933
R2500				
87-91	Exc. Crew Cab	HD	B46-1185	B46-0933
R2500, R3500				
87-91	Crew Cab	HD	B46-1185	B46-1587
S15 Pickup				
82-00		HD	B46-1307	B46-1681
Pickup 4WD (Lifted Suspension)				
K1500				
88-98		5100	BE5-6139-H5 ⁶⁴	BE5-6137-H5 ⁴⁵ ⁷² ⁹¹
Pickup 4WD (Standard Suspension)				
K1500, Sierra 1500				
00-04	HD Model; Exc. Quad Steer	HD	BE5-6081-H0	BE5-6082-H0
99-04	Exc. HD Model; Exc. Quad Steer	HD	BE5-2904	BE5-2905
88-98		C	BE5-2503	B46-2087
		HD	BE5-A405-H0	B46-2043
K2500, Sierra 2500				
00-04	Including HD Model; Exc. Quad Steer	HD	BE5-6081-H0	BE5-6082-H0
88-99		HD	BE5-A405-H0	BE5-2568
K1500, K2500				
73-87		HD	B46-0923	B46-0933
69-72		HD	B46-0923	N/A
K3500, Sierra 3500				
00-04		HD	BE5-6081-H0	BE5-6501-H0
88-99		HD	BE5-A405-H0	BE5-2568
K3500				
77-87		HD	AK2042	AK2043
V1500, V2500				
87-91		HD	B46-0923	B46-0933
		Auxiliary	B46-1026	
V3500				
87-91	Crew Cab	HD	AK2042	AK2043
S15 Pickup				
95-02	With ZR2 Suspension	HD	B46-1818	B46-1819
S15 Pickup Except Syclone				
82-02	Exc. ZR2 Suspension	HD	B46-1410	B46-1681
Syclone				
90-93		HD	B46-1410	B46-1681

Year	Application	Setting	Front	Rear
GMC (cont.)				
Step Van (P Series-Standard Suspension)				
P1500, P2500, P3500				
84-00		Steering Damper		BE3-2645
74-00		HD	B46-1173	B46-1587
73-00		C	B46-2137	B46-1587
P1500				
63-72		HD	B46-1173	N/A
Utility 2WD (Lifted Suspension)				
Suburban 1500				
92-99		5100	BE5-6210-H5 ⁴⁴ ⁴⁶ ⁶⁰	BE5-6137-H5 ⁴⁵ ⁶⁹
Yukon				
95-99	4 Door	5100	BE5-6210-H5 ⁴⁴ ⁴⁶ ⁶²	BE5-6254-H5 ⁴⁵ ⁶⁷
92-99	2 Door	5100	BE5-6210-H5 ⁴⁴ ⁴⁶ ⁶⁰	BE5-6137-H5 ⁴⁵ ⁶⁹
Utility 2WD (Standard Suspension)				
Yukon XL 1500				
00-04		HD	BE5-6500-H0	BE5-6501-H0 ⁴⁸
Suburban 1500				
92-99		C	BE5-2416	BE5-2417
		HD	B46-2247	B46-2248
73-91		HD	B46-1185	B46-0933
Yukon XL 2500				
00-04	Torsion bar front only	HD	BE5-6081-H0	BE5-6501-H1
Suburban 2500				
92-99		HD	BE5-2422	BE5-2423
73-91		HD	B46-1185	B46-0933
Yukon				
00-04	4 Door	HD	BE5-6500-H0	BE5-6501-H0 ⁴⁹
95-99	2 Door	HD	BE5-2422	BE5-2415
	4 Door	HD	BE5-2670	BE5-2672
Jimmy (Full size)				
73-87		HD	B46-1185	B46-0933
69-72		HD	B46-1185	N/A
Envoy				
02-04	Air Suspension Rear	HD	BE5-A333-H0	BE5-A334-H0
	Non-Air Rear	HD	BE5-A333-H0	BE5-A335-H0
S15 Jimmy				
82-02		HD	B46-1307	B46-1413-M0
Caballero, Diabolo, Sprint				
73-86		HD	B36-0949	B46-0929 ¹⁹
Utility 4WD (Lifted Suspension)				
Suburban 1500				
92-99	4 Door	5100	BE5-6139-H5 ⁶⁴	BE5-6137-H5 ⁴⁵ ⁷²

¹⁹Replacement unit is a conventional shock. Leveling system will not function when this shock is installed.

⁴⁵Compression bump stop on chassis may need to be modified to prevent damage to the shock absorber. ⁴⁶Shocks are banded compressed to aid installation.

⁴⁸In order to maintain standard ride height and load characteristics w/self leveling, Bilstein spring part 199020 should be utilized. This will not replace electronic dampers.

⁴⁹In order to maintain standard ride height and load characteristics w/self leveling, Bilstein spring part 199021 should be utilized. This will not replace electronic dampers.

⁶⁰Front 3" Lift. ⁶²Front 6" Lift. ⁶⁴Front 4-6" Lift. ⁶⁷Rear 3" Lift. ⁶⁹Rear 0-1" Lift. ⁷²Rear 2-4" Lift. ⁹¹Must order 1/2" sleeve part 423480.

LIGHT TRUCKS, UTILITY VEHICLES & VANS LISTINGS



Year	Application	Setting	Front	Rear
GMC (cont.)				
Yukon				
95-99	4 Door	5100	BE5-6139-H5 [Ⓔ]	BE5-6254-H5 [Ⓕ] [Ⓗ]
92-99	2 Door	5100	BE5-6139-H5 [Ⓔ]	BE5-6137-H5 [Ⓕ] [Ⓗ]
Utility 4WD (Standard Suspension)				
Yukon XL 1500				
00-04		HD	BE5-6500-H0	BE5-6501-H0 [Ⓕ]
Suburban 1500				
92-99		HD	BE5-A405-H0	BE5-2421
		SP	B46-2041	B46-2042
73-91		HD	B46-0923	B46-0933
		Auxiliary	B46-1026	
Yukon XL 2500				
00-04		HD	BE5-6081-H0	BE5-6501-H1
Suburban 2500				
92-99		HD	BE5-A405-H0	BE5-2419
		SP	BE5-2403	BE5-2405
73-91		HD	B46-0923	B46-0933
		Auxiliary	B46-1026	
Denali				
98-99		C	BE5-2424	BE5-2425
		HD	BE5-A405-H0	B46-2179
Yukon				
00-04	4 Door	HD	BE5-6500-H0	BE5-6501-H0 [Ⓕ]
95-99	4 Door; Exc. Denali	C	BE5-2412	BE5-2413
		HD	BE5-A405-H0	B46-2179
92-99	2 Door	HD	BE5-2501	BE5-2502
Jimmy (Full size)				
80-91	2 Door	Auxiliary	B46-1026	
73-91	2 Door	HD	B46-0923	B46-0933
69-72		HD	B46-0923	N/A
Envoy				
02-04	Air Suspension Rear	HD	BE5-A333-H0	BE5-A334-H0
	Non-Air Rear	HD	BE5-A333-H0	BE5-A335-H0
S15 Jimmy				
95-02	With ZR2 Suspension	HD	B46-1852	B46-2194
84-02	Exc. ZR2 Suspension; Exc. Typhoon	HD	B46-1412	B46-1413-M0
		SP	B46-1412-H0	B46-1413-H0
Typhoon				
92-94		HD	B46-1412	B46-1413-M0 [Ⓕ]
		SP	B46-1412-H0	B46-1413-H0
Van (G Series-Standard Suspension)				
Savana 1500				
96-04		HD	BE5-2565	BE5-2481

Year	Application	Setting	Front	Rear
GMC (cont.)				
G1500				
78-95		HD	B46-1025	B46-1026
71-77	Exc. dual rear wheels	HD	B46-1025	N/A
Savana 2500				
96-04	GWW over 7300 lbs	HD	BE5-2565	BE5-2570
	GWW to 7300 lbs	HD	BE5-2565	BE5-2481
G2500				
78-95	Exc. dual rear wheels	HD	B46-1025	B46-1026
71-77	Exc. dual rear wheels	HD	B46-1025	N/A
Savana 3500				
96-04		HD	BE5-2565	BE5-2570
G3500				
78-95	Exc. dual rear wheels	HD	B46-1025	B46-1026
75-95	Dual rear wheels	HD	B46-1025	B46-1141
71-74	Exc. dual rear wheels	HD	B46-1025	N/A
HONDA				
Mini-Van (Standard Suspension)				
Odyssey				
94-98		HD	B46-2105 [Ⓗ]	B46-2106
Utility 2WD & 4WD (Standard Suspension)				
CR-V				
97-99		HD	BE5-2338 [Ⓗ]	BE5-2339
Passport				
98-00		HD	BE5-6012	BE5-6013
94-97		HD	AK1248	AK1249
HUMMER				
Utility 4WD (Standard Suspension)				
H2				
03-04		HD	BE5-6081-H0	BE5-6647-H5
ISUZU				
Truck (Standard Suspension Only)				
NPR				
87-95	GWW 13,250 lbs	HD	AK1250	AK1251
Utility 2WD & 4WD (Standard Suspension)				
Amigo				
89-95		HD	AK1248	B46-0258
Rodeo				
98-02		HD	BE5-6012	BE5-6013
91-97		HD	AK1248	AK1249
Utility 4WD (Standard Suspension)				
Trooper				
92-00		HD	B46-1738-H2	B46-1739-H1
86-91	From 11/86	HD	B46-0186	B46-1239

[Ⓗ] Replacement unit is a conventional shock. Leveling system will not function when this shock is installed.

[Ⓕ] Compression bump stop on chassis may need to be modified to prevent damage to the shock absorber.

[Ⓔ] In order to maintain standard ride height and load characteristics w/self leveling, Bilstein spring part 199020 should be utilized. This will not replace electronic dampers.

[Ⓕ] In order to maintain standard ride height and load characteristics w/self leveling, Bilstein spring part 199021 should be utilized. This will not replace electronic dampers.

[Ⓔ] Front 4-6" Lift. [Ⓗ] Rear 2-4" Lift. [Ⓗ] Original brake line bracket must be re-used, installation tool included.

Year	Application	Setting	Front	Rear
JEEP				
Pickup 2WD & 4WD (Standard Suspension)				
Gladiator J2000, J3000, J4000				
66-73		HD	B46-0256	B46-0056
Pioneer J10, J20				
74-88		HD	B46-0046	B46-0056
Utility 2WD & 4WD (Lifted Suspension)				
Cherokee (XJ)				
84-00		5100	BE5-6241-H7 ⁴⁵ ⁶¹	BE5-6686-H5 ⁴⁵ ⁶⁸
			BE5-6255-H5 ⁴⁵ ⁶⁰	BE5-6256-H5 ⁴⁵ ⁷⁴
Utility 2WD & 4WD (Standard Suspension)				
Liberty (KJ)				
02-03		HD	In Dev.	In Dev.
Cherokee (XJ)				
94-01		HD	B46-1798	B46-1046 ¹⁹
Cherokee (XJ), Wagoneer (XJ)				
84-93		HD	B46-1045	B46-1046 ¹⁹
Grand Cherokee (ZJ)				
99-03	Including Sahara package and UpCountry	HD	BE5-2963	BE5-2964
93-98	Including Sahara package and UpCountry	HD	B46-1798	B46-1799
Grand Wagoneer				
84-92		HD	B46-0046	B46-0056
Cherokee (SJ), Wagoneer				
76-83		HD	B46-0046	B46-0056
Utility 4WD (Lifted Suspension)				
Wrangler (TJ)				
96-04		5100	BE5-2731-H5 ⁴⁵ ⁶⁰	BE5-2732-H5 ⁴⁵ ⁶⁷
	Exc. Long-Arm	5100	BE5-6241-H5 ⁴⁵ ⁶¹	BE5-6242-H5 ⁴⁵ ⁶⁸
	Long-Arm	5100	AK1064 ⁴⁵ ⁶¹	AK1065 ⁴⁵ ⁶⁸
	w/ Rubicon Express Lift Kit	5100	AK1062 ⁴⁵ ⁸¹	BE5-6242-H5 ⁴⁵ ¹⁰³
Wrangler (YJ)				
86-95		5100	BE5-6457-H5 ⁴⁵ ⁶³	BE5-6458-H0 ⁴⁵ ⁷³
	Springover	5100	BE5-6457-T5 ⁴⁵	BE5-6458-T5 ⁴⁵
Grand Cherokee (ZJ)				
93-98		5100	In Dev. ⁶⁰	In Dev. ⁶⁰
Utility 4WD (Standard Suspension)				
Wrangler (TJ)				
02-04	Rubicon	HD	In Dev.	In Dev.
96-04		HD	BE5-2442	BE5-2443
Wrangler (YJ)				
86-95		HD	B46-1309	B46-1310

¹⁹ Replacement unit is a conventional shock. Leveling system will not function when this shock is installed.

⁴⁵ Compression bump stop on chassis may need to be modified to prevent damage to the shock absorber.

⁶⁰ Front 3" Lift.

⁶¹ Front 4" Lift.

⁶³ Front 3-4" Lift.

⁶⁷ Rear 3" Lift.

⁶⁸ Rear 4" Lift.

⁷³ Rear 3-4" Lift.

⁷⁴ Rear 2-3" Lift.

⁸⁰ Front 2-3" Lift.

⁸¹ Front 5-6" Lift.

¹⁰³ Rear 5-6" Lift.

Year	Application	Setting	Front	Rear
JEEP (cont.)				
CJ5, CJ7, CJ8				
82-86		HD	AK1066	B46-0260
CJ5, CJ6, CJ7, DJ5, DJ6, Scrambler (CJ8)				
55-81	Exc. 5-leaf front spring	HD	B46-0250	B46-0260
CJ5, CJ6				
55-71	With 5-leaf front spring	HD	B46-0250	B46-0250
LAND ROVER				
Utility 4WD (Standard Suspension)				
Defender 110, 90				
94-97		HD	B46-0243-M0	B46-0253
	Steering Damper		B36-2235	
Discovery II				
99-02	Exc. With Active Suspension (ACE System)	HD	BE5-6046-H0	BE5-6047-H0
94-98	Exc. With Active Suspension (ACE System); From 6/94	HD	B46-0243-M0	BE5-2779
	Steering Damper		B36-0245-M0	
Discovery I				
89-94	To 5/94	HD	B46-0243-M0	B46-0253
	Steering Damper		B36-0245-M0	
Range Rover 4.0SE, 4.6HSE				
94-00	With Air Suspension; From 10/94	HD	B46-2214	B46-2215
Range Rover				
92-94	With Air Suspension; To 9/94	HD	B46-2153	B46-2152
71-94	Exc. Air Suspension; To 9/94	HD	B46-0243-M0	B46-0253
	Steering Damper		B36-0245-M0	
LINCOLN				
Utility 2WD (Standard Suspension)				
Blackwood				
01-02	Non self-leveling	HD	BE5-2571	BE5-2479
Navigator				
97-02	Non self-leveling	HD	BE5-2571	BE5-2573
Utility 4WD (Standard Suspension)				
Navigator				
97-02	Non self-leveling	HD	BE5-2574	BE5-2575
MAZDA				
Pickup 2WD (Standard Suspension)				
B3000, B4000 Dual Sport				
99-04		HD	BE5-2794	BE5-2795
B2300, B3000, B4000				
98-04		HD	BE5-2791	BE5-2792
94-97		HD	B46-2236	B46-2283

LIGHT TRUCKS, UTILITY VEHICLES & VANS LISTINGS



Year Application Setting Front Rear

MAZDA (cont.)

Pickup 4WD (Standard Suspension)

B2300, B3000, B4000

98-04		HD	BE5-2794	BE5-2795
94-97		HD	B46-2236	B46-2335

Utility 2WD & 4WD (Standard Suspension)

Navajo

91-94		HD	B46-1568	B46-1569
-------	--	----	----------	----------

MERCEDES BENZ

Important Note: When in doubt as to which shock absorber is correct (eg. 1976 240D), check the chassis number of the car and compare it to the production series numbers listed below. If the first three digits of the chassis number match the production series number, the shocks listed will fit the car.

Utility 4WD (Standard Suspension), Series W163

ML320, ML350, ML430

99-03	From 1/99	HD	BE5-6456-H0	BE5-2985
97-98		HD	BE5-6456-H0	N/A

Utility 4WD (Standard Suspension), Series W460

240GD, 300GD, 230G, 280GE

79-90	To 12/90	HD	B46-0504	B46-0514
-------	----------	----	----------	----------

Utility 4WD (Standard Suspension), Series W463

240GD, 300GD, 230G, 280GE

91-03		HD	B46-1635	B46-1636
-------	--	----	----------	----------

MERCURY

Utility 2WD (Standard Suspension)

Mountaineer

02-04	Exc. air-leveling	HD	In Dev.	In Dev.
96-01	Exc. air-leveling	HD	B46-2131	B46-2132
		Axle Wrap	N/A	B36-2135

Utility 4WD (Standard Suspension)

Mountaineer

02-04	Exc. air-leveling	HD	In Dev.	In Dev.
96-01	Exc. air-leveling	HD	B46-2133	B46-2134
		Axle Wrap	N/A	B36-2135

MITSUBISHI

Utility 4WD (Standard Suspension)

Montero Sport

00-01	6 cyl	HD	B46-1794-H1	BE5-6425-H0
-------	-------	----	-------------	-------------

Montero

92-99	6 cyl	HD	B46-1794	B46-1795
88-91	6 cyl	HD	B46-1336	B46-1337

NISSAN

Pickup 2WD (Standard Suspension)

Frontier

99-03	Crew Cab or Desert Runner	HD	B46-1099-H1	BE3-6422-H0
	Standard Cab or King Cab	HD	BE3-6420-H0	B46-2067-H0

Year Application Setting Front Rear

NISSAN (cont.)

1/2 Ton Pickup

86-97	From 86 1/2	HD	B46-1099	B46-1100
68-85		HD	B46-1780	606493

Pickup 4WD (Standard Suspension)

Frontier

98-03		HD	B46-1099-H1	B46-2128-H1
-------	--	----	-------------	-------------

1/2 Ton Pickup

82-97		HD	B46-1099	B46-1100
80-81		HD	B46-1780	606493

Utility 2WD (Standard Suspension)

Xterra

99-03		HD	B46-1099-H1	BE3-6422-H0
-------	--	----	-------------	-------------

Utility 4WD (Standard Suspension)

Xterra

99-03		HD	B46-1099-H2	BE3-6422-H0
-------	--	----	-------------	-------------

Pathfinder

86-95		HD	BE5-2400 ^[17]	BE5-2401 ^[17]
		SP	B46-1245 ^[17]	B46-2077 ^[17]

OLDSMOBILE

Mini-Van (Standard Suspension)

Silhouette

90-96		HD	S36-0203	B46-1019 ^[19]
-------	--	----	----------	--------------------------

Utility 4WD (Standard Suspension)

Bravada

96-01		C	B46-1598	B46-1599
		HD	B46-1412	B46-1413-M0
		SP	B46-1412-H0	B46-1413-H0
91-94		C	B46-1598	B46-1599
		HD	B46-1412	B46-1413-M0
		SP	B46-1412-H0	B46-1413-H0

PLYMOUTH

Pickup 2WD (Standard Suspension)

Arrow

79-83		HD	B36-0949	B46-0257
-------	--	----	----------	----------

Pickup 4WD (Standard Suspension)

Arrow

82-83		HD	B36-0949	B46-0258
-------	--	----	----------	----------

Utility 2WD (Standard Suspension)

PD100 (Trail Duster)

74-81		HD	B46-1828	B46-1829
-------	--	----	----------	----------

Van (Standard Suspension)

PB100, PB150, PB200, PB250

74-83		HD	B46-0925	B46-1137
-------	--	----	----------	----------

PB300, PB350

74-83		HD	B46-0925 ^[20]	B46-1137
			B46-1401 ^[20]	B46-1137

^[17] Does not replace electronically adjustable system. ^[19] Replacement unit is a conventional shock. Leveling system will not function when this shock is installed.

^[20] Front axle 4000 lbs. and over. ^[21] Front axle less than 4000 lbs.

Year	Application	Setting	Front	Rear
PONTIAC				
Mini-Van (Standard Suspension)				
Trans Sport				
90-96		HD	S36-0203	B46-1019 ¹⁹
SUZUKI				
Utility 2WD & 4WD (Standard Suspension)				
Sidekick				
89-98	Exc. 4 Wheel ABS	HD	V36-0399	B36-1588
TOYOTA				
Pickup 2WD & 4WD (Lifted Suspension)				
Tundra				
99-04	Coilover	5100	BTS-7514 ²⁰	BE5-A014-H5 ²³
Pickup 2WD (Standard Suspension)				
Tundra				
99-04		HD	BE5-6024	BE5-6025
T100				
93-00		HD	B46-2127	B46-2128
Tacoma				
98-03	PreRunner	HD	B46-2284 B46-2284	B46-2285(L) B46-2286(R)
95-03	Exc. PreRunner; From 95 1/2	HD	BE3-2674	BE5-2675
Pickup				
84-95		HD	B46-1772	B46-0257
74-83		HD	N/A	B46-0257
Pickup 4WD (Lifted Suspension)				
Pickup				
86-95		5100	BE5-6582-H5 ²³	BE5-6583-H5 ²³
Pickup 4WD (Standard Suspension)				
Tundra				
99-04		HD	BE5-6024	BE5-6025
T100				
93-00		HD	B46-2125	B46-2126
Tacoma				
95-03	From 95 1/2	HD	B46-2284 B46-2284	B46-2285(L) B46-2286(R)
Pickup				
86-95		HD	B46-1139	B46-1140
84-85		HD	B46-0425	B46-1140
79-83		HD	B46-0425	B46-0258
Utility 2WD & 4WD (Lifted Suspension)				
4-Runner				
90-95		5100	BE5-6582-H5 ²³	In Dev. ²³
86-89		5100	BE5-6582-H5 ²³	BE5-6583-H5 ²³

Year	Application	Setting	Front	Rear
TOYOTA (cont.)				
Utility 2WD & 4WD (Standard Suspension)				
Sequoia				
01-03		HD	BE5-6024	BE5-6738-H0
4-Runner				
90-95		HD	B46-1468	B46-1469
86-89		HD	B46-1139	B46-1140
84-85		HD	B46-0425	B46-1140
Utility 2WD (Standard Suspension)				
4-Runner				
03-04		HD	In Dev.	In Dev.
96-02		HD	BE5-2482 ¹⁹	BE5-2451
Utility 4WD (Standard Suspension)				
Landcruiser				
98-01		HD	BE5-2739	BE5-2740
Landcruiser FJ80				
91-97		HD	B46-1477	B46-1478
Landcruiser FJ60, HJ60				
88-90		HD	B46-0247	B46-1132
80-87	From 4/80	HD	B46-0247	B46-0256
Landcruiser FJ61, FJ62				
85-90		HD	B46-1004	B46-1132
Landcruiser FJ40				
75-82	From 1/75	HD	B46-0248	B46-0258
60-74	To 12/74	HD	B46-0248	N/A
4-Runner				
03-04		HD	In Dev.	In Dev.
96-02		HD	BE5-2450 ¹⁹	BE5-2451
RAV4				
00-00		HD	P30-3061 ⁴³	B36-2120
		SP	P30-3062 ⁴³	B36-2121
98-99	Exc. Limited Edition	HD	P30-3061 ⁴³	B36-2120
		SP	P30-3062 ⁴³	B36-2121
96-97		HD	P30-3061 ⁴³	B36-2120
		SP	P30-3062 ⁴³	B36-2121
VOLKSWAGEN				
Van (Standard Suspension)				
Eurovan T4				
91-01	Including Synchro	TC	BNE-2851-BA	BNE-2852-BA
		HD	B46-1911-H1	B46-1912-H1
Vanagon				
79-91	Exc. Synchro	TC	BNE-2019-BE	BNE-2007-BE
		HD	B46-0820	B46-0830
Type 2: Bus & Transporter				
61-76	To 8/76	Steering Damper		B22-0028
55-67	To 7/67	HD	B46-0032	B46-0040

¹⁹ Re-install original equipment hardware. ²⁰ Replacement unit is a conventional shock. Leveling system will not function when this shock is installed.
⁴³ Verify that strut units are serviceable with cartridge insert. ²³ Front 3-4" Lift. ²³ Rear 3-4" Lift. ²⁰ Front 0-2" Lift. ²³ Rear 1-2" Lift.